

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Embryology.—Souèges, in continuation of his work on the embryology of Angiosperms, has published several recent contributions. Rheum Emodi<sup>20</sup> is presented as a further representative of the Polygonaceae. Chenopodium Bonus-Henricus<sup>21</sup> is the subject of an unusually full treatment. In the presentation of the embryogeny of the Labiatae, Glechoma hederacea and Lamium purpureum form the subject of one paper,<sup>22</sup> and in the second paper<sup>23</sup> Mentha viridis is used. The Scrophulariaceae are represented by Veronica arvensis.<sup>24</sup> The presentation of the embryogeny of Urtica pilulifera<sup>25</sup> is completed with two papers.—J. M. C.

Overgrowth of stumps.—The overgrowth of the upper ends of stumps of *Pseudotsuga* and of *Abies grandis* has been observed by Pemberton<sup>16</sup> in British Columbia. Careful excavation showed that in every case root grafting with living trees existed, the connected roots providing an avenue for food conduction to the stump, and this he believes to be the true explanation of the interesting phenomenon.—Geo. D. Fuller.

Addisonia.—The fourth number completing Vol. 5 of this publication appeared in December 1920, and the first number of Vol. 6 appeared in March 1921. The fine colored illustrations and popular descriptions form a collection that should be in every botanical library.—J. M. C.

Potassium and growth of plants.—SMITH and BUTLER<sup>27</sup> have published a report of rather extensive work on the effect of potassium on the growth of plants. It confirms all the old findings and gives quantitative data on several new plants.—WM. CROCKER.

<sup>&</sup>lt;sup>20</sup> Souèges, R., Recherches sur l'embryogénie des Polygonacées (suite). Bull. Soc. Bot. France **67**:75–85. 1920.

<sup>&</sup>lt;sup>21</sup>——, Développement de l'embryon chez le *Chenopodium Bonus-Henricus* L. *Ibid.* 67: 233-257. figs. 40. 1920.

<sup>&</sup>lt;sup>22</sup>——, Embryogénie des Labiées. Développement de l'embryon chez le Glechoma hederacea L. et Lamium purpureum L. Compt. Rend 1921:48–50.

<sup>&</sup>lt;sup>23</sup>—, Développement de l'embryon chez le *Mentha viridis* L. *Ibid.* 1921: 1057, 1058.

<sup>&</sup>lt;sup>24</sup>———, Embryogénie des Scrofulariacées. Développement de l'embryon chez le *Veronica arvensis* L. *Ibid*. 1921: 703–705.

<sup>&</sup>lt;sup>25</sup>———, Développement de l'embryon chez l'*Urtica pilulifera* L. Bull. Soc. Bot. France **68**: 172–188; 280–294. figs. 57. 1921.

<sup>&</sup>lt;sup>26</sup> Pemberton, C. C., Overgrowth of stumps of conifers. Can. Field Nat. 35:81-87. figs. 4. 1921.

<sup>&</sup>lt;sup>27</sup> SMITH, T. O., and BUTLER, O., Relation of potassium to growth in plants. Ann. Botany 35:180-225. 1921.